

Code	Tyre Size	Tubeless Tubetype	Inflated Unloaded Dimensions		Load Index	Speed Index	Load and Pressure		Dynamic Rolling Circumference (mm)	Static Loaded Radius (mm)
			Section Width (mm)	Overall Diameter (mm)			Tyres Load Capacity (kg)	Tyre Pressure (Psi)		
R6524440	440/65R24	TUBELESS	445	1185	128/131	D/A8	1800/1950	35	3555	538
R6524480	480/65R24	TUBELESS	480	1235	133/136	D/A8	2060/2240	35	3705	559
R6524540	540/65R24	TUBELESS	550	1320	146/149	D/A8	3000/3250	34	3960	593
R6526750	750/65R26	TUBELESS	755	1640	166/163	A8/B	5300/4875	34	4920	727
R6528440	440/65R28	TUBELESS	445	1285	131/134	D/A8	1950/2120	35	3855	588
R6528480	480/65R28	TUBELESS	480	1337	142/145	D/A8	2650/2900	35	4011	610
R6528540	540/65R28	TUBELESS	550	1420	149/152	D/A8	3250/3550	35	4260	643
R6530540	540/65R30	TUBELESS	550	1470	150/153	D/A8	3350/3650	34	4410	668
R6532800	800/65R32	TUBELESS	800	1858	178/175	A8/B	7500/6900	46	5574	830
R6534540	540/65R34	TUBELESS	480	1575	152/155	D/A8	3550/3875	34	4725	720
R6538540	540/65R38	TUBELESS	550	1675	153/156	D/A8	3650/4000	34	5025	771
R6538600	600/65R38	TUBELESS	595	1750	159/162	D/A8	4375/4750	35	5250	801
R6538650	650/65R38	TUBELESS	650	1820	163/166	D/A8	4875/5300	34	5460	829
Code	Tyre Size	Tubeless Tubetype	Inflated Unloaded Dimensions		Load Index	Speed Index	Load and Pressure		Dynamic Rolling Circumference (mm)	Static Loaded Radius (mm)
			Section Width (mm)	Overall Diameter (mm)			Tyres Load Capacity (kg)	Tyre Pressure (Psi)		
R7016240	240/70R16	TUBELESS	245	745	104/104	A8/B	900/900	34	2235	340
R7016260	260/70R16	TUBELESS	260	770	109/109	A8/B	1030/1030	34	2310	350
R7016280	280/70R16	TUBELESS	282	798	112/112	A8/B	1120/1120	34	2394	362
R7018280	280/70R18	TUBELESS	282	849	114/114	A8/B	1180/1180	34	2547	388
R7020260	260/70R20	TUBELESS	260	875	113/113	A8/B	1150/1150	34	2625	403
R7020280	280/70R20	TUBELESS	282	900	116/116	A8/B	1250/1250	34	2700	413
R7020300	300/70R20	TUBELESS	295	952	120/117	A8/B	1400/1285	34	2856	434
R7020320	320/70R20	TUBELESS	319	982	113/113	A8/B	1150/1150	23	2946	446
R7020360	360/70R20	TUBELESS	357	1042	129/129	A8/B	1850/1850	34	3126	471
R7024320	320/70R24	TUBELESS	319	1095	116/116	A8/B	1250/1250	23	3285	502
R7024360	360/70R24	TUBELESS	357	1152	122/122	A8/B	1500/1500	23	3456	525
R7024380	380/70R24	TUBELESS	380	1190	125/125	A8/B	1650/1650	23	3570	540
R7024420	420/70R24	TUBELESS	418	1248	130/130	A8/B	1900/1900	23	3744	564
R7024460	460/70R24	TUBELESS	460	1260	152/149	A8/B	3550/3250	46	3780	569
R7024480	480/70R24	TUBELESS	480	1320	138/135	A8/B	2360/2180	23	3960	593
R7028360	360/70R28	TUBELESS	357	1255	125/125	A8/B	1650/1650	23	3765	576
R7028380	380/70R28	TUBELESS	380	1293	127/127	A8/B	1750/1750	23	3879	592
R7028420	420/70R28	TUBELESS	418	1351	133/133	A8/B	2060/2060	23	4053	615
R7028480	480/70R28	TUBELESS	480	1425	140/140	A8/B	2500/2500	23	4275	645
R7030420	420/70R30	TUBELESS	418	1400	134/131	A8/B	2120/1950	23	4200	640
R7030480	480/70R30	TUBELESS	480	1480	141/138	A8/B	2575/2360	23	4440	672
R7030600	600/70R30	TUBELESS	595	1605	158/156	A8/B	4250/4000	34	4815	723
R7034480	480/70R34	TUBELESS	479	1580	143/140	A8/B	2725/2500	23	4740	722
R7034520	520/70R34	TUBELESS	516	1640	148/146	A8/B	3150/3000	23	4920	745
R7038480	480/70R38	TUBELESS	480	1685	145/142	A8/B	2900/2650	23	5055	775
R7038520	520/70R38	TUBELESS	516	1750	150/147	A8/B	3350/3075	23	5250	801
R7038580	580/70R38	TUBELESS	580	1830	155/152	A8/B	3875/3550	23	5490	833
R7038710	710/70R38	TUBELESS	720	1965	171/174	D/A8	6150/6700	34	5895	888
Code	Tyre Size	Tubeless Tubetype	Inflated Unloaded Dimensions		Load Index	Speed Index	Load and Pressure		Dynamic Rolling Circumference (mm)	Static Loaded Radius (mm)
			Section Width (mm)	Overall Diameter (mm)			Tyres Load Capacity (kg)	Tyre Pressure (Psi)		
R7526620	620/75R26	TUBELESS	630	1600	166/166	A8/B	5300/5300	46	4800	711
R7530620	620/75R30	TUBELESS	630	1695	163/161	A8/B	4875/4625	35	5085	759
R7532650	650/75R32	TUBELESS	650	1795	172/172	A8/B	6300/6300	46	5385	805
Code	Tyre Size	Tubeless Tubetype	Inflated Unloaded Dimensions		Load Index	Speed Index	Load and Pressure		Dynamic Rolling Circumference (mm)	Static Loaded Radius (mm)
			Section Width (mm)	Overall Diameter (mm)			Tyres Load Capacity (kg)	Tyre Pressure (Psi)		
R8042480	480/80R42	TUBELESS	485	1845	151/148	A8/B	3450/3150	23	5535	849
R8046480	480/80R46	TUBELESS	485	1945	164/164	A8/B	5000/5000	46	5835	899

Code	Tyre Size	Tubeless Tubetype	Inflated Unloaded Dimensions		Load Index	Speed Index	Load and Pressure		Dynamic Rolling Circumference (mm)	Static Loaded Radius (mm)
			Section Width (mm)	Overall Diameter (mm)			Tyre Load Capacity (kg)	Tyre Pressure (Psi)		
R8520280	280/85R20	TUBELESS	282	984	112/109	A8/B	1120/1030	23	2952	447
R8520320	320/85R20	TUBELESS	319	1052	119/116	A8/B	1360/1250	23	3156	475
R8524280	280/85R24	TUBELESS	282	1086	115/112	A8/B	1215/1120	23	3258	498
R8524320	320/85R24	TUBELESS	319	1154	122/119	A8/B	1500/1360	23	3462	526
R8524340	340/85R24	TUBELESS	343	1188	125/122	A8/B	1650/1500	23	3564	540
R8524380	380/85R24	TUBELESS	380	1256	131/128	A8/B	1950/1800	23	3768	567
R8524420	420/85R24	TUBELESS	418	1324	137/134	A8/B	2300/2060	23	3972	595
R8528280	280/85R28	TUBELESS	282	1187	118/115	A8/B	1320/1215	23	3561	549
R8528320	320/85R28	TUBELESS	320	1255	124/121	A8/B	1600/1450	23	3765	576
R8528340	340/85R28	TUBELESS	343	1289	127/124	A8/B	1750/1600	23	3867	590
R8528380	380/85R28	TUBELESS	380	1357	133/130	A8/B	2060/1900	23	4071	618
R8528420	420/85R28	TUBELESS	418	1425	139/136	A8/B	2430/2240	23	4275	645
R8530380	380/85R30	TUBELESS	380	1408	135/132	A8/B	2180/2000	23	4224	643
R8530420	420/85R30	TUBELESS	418	1476	140/137	A8/B	2500/2300	23	4428	671
R8530460	460/85R30	TUBELESS	455	1544	145/142	A8/B	2900/2650	23	4632	698
R8532320	320/85R32	TUBELESS	320	1365	126/126	A8/B	1700/1700	34	4095	630
R8534420	420/85R34	TUBELESS	418	1578	142/139	A8/B	2650/2430	23	4734	722
R8534460	460/85R34	TUBELESS	455	1646	147/144	A8/B	3075/2800	23	4938	749
R8536320	320/85R36	TUBELESS	320	1465	128/125	A8/B	1800/1650	23	4395	681
R8536340	340/85R36	TUBELESS	343	1495	132/129	A8/B	2000/1850	23	4485	693
R8538320	320/85R38	TUBELESS	320	1515	143/143	A8/B	2725/2725	52	4545	706
R8538340	340/85R38	TUBELESS	343	1545	133/130	A8/B	2060/1900	23	4635	718
R8538380	380/85R38	TUBELESS	380	1611	139/136	A8/B	2430/2240	23	4833	745
R8538420	420/85R38	TUBELESS	418	1679	144/141	A8/B	2800/2575	23	5037	772
R8538460	460/85R38	TUBELESS	455	1747	149/146	A8/B	3250/3000	23	5241	800
R8538520	520/85R38	TUBELESS	516	1849	155/152	A8/B	3875/3550	23	5547	841
R8542520	520/85R42	TUBELESS	516	1955	157/157	A8/B	4125/4125	23	5865	894
R8546340	340/85R46	TUBELESS	345	1756	150/151	D/A8	3350/3450	52	5268	823
R8548340	340/85R48	TUBELESS	343	1800	151/152	D/A8	3450/3550	58	5490	845
Code	Tyre Size	Tubeless Tubetype	Inflated Unloaded Dimensions		Load Index	Speed Index	Load and Pressure		Dynamic Rolling Circumference (mm)	Static Loaded Radius (mm)
			Section Width (mm)	Overall Diameter (mm)			Tyre Load Capacity (kg)	Tyre Pressure (Psi)		
R9046320	320/90R46	TUBELESS	320	1750	146/146	A8/B	3000/3000	46	5250	820
R9046380	380/90R46	TUBELESS	380	1860	159/162	D/A8	4375/4750	58	5580	865
Code	Tyre Size	Tubeless Tubetype	Inflated Unloaded Dimensions		Load Index	Speed Index	Load and Pressure		Dynamic Rolling Circumference (mm)	Static Loaded Radius (mm)
			Section Width (mm)	Overall Diameter (mm)			Tyre Load Capacity (kg)	Tyre Pressure (Psi)		
R9520	9,5R20	TUBELESS	241	938	108/105	A8/B	1000/925	23	2814	422
R9532210	210/95R32	TUBELESS	215	1215	114/114	A8/B	1180/1180	34	3706	570
R9532230	230/95R32	TUBELESS	230	1255	128/128	A8/B	1800/1800	58	3828	586
R9532270	270/95R32	TUBELESS	275	1330	136/136	A8/B	2240/2240	58	4057	616
R9538270	270/95R38	TUBELESS	275	1485	140/140	A8/B	2500/2500	58	4529	694
R9544210	210/95R44	TUBELESS	215	1520	120/120	A8/B	1400/1400	34	4560	722
R9544230	230/95R44	TUBELESS	230	1560	132/132	A8/B	2000/2000	58	4758	738
R9544270	270/95R44	TUBELESS	275	1635	142/142	A8/B	2650/2650	58	4987	769
R9546270	270/95R46	TUBELESS	275	1685	143/143	A8/B	2725/2725	58	5139	794
R9546300	300/95R46	TUBELESS	300	1740	148/148	A8/B	3150/3150	58	5307	816
R9548230	230/95R48	TUBELESS	230	1660	136/136	A8/B	2240/2240	58	5063	789
R9548270	270/95R48	TUBELESS	275	1735	144/144	A8/B	2800/2800	58	5292	819